

---

# **postalcode-ni Documentation**

*Release 1.1.0*

**Oscar Cortez**

**Mar 28, 2019**



---

## Contents:

---

<b>1</b>	<b>postalcode-ni</b>	<b>1</b>
1.1	Quickstart . . . . .	1
1.2	Usage . . . . .	1
1.3	Running Tests . . . . .	2
<b>2</b>	<b>Installation</b>	<b>3</b>
2.1	Stable release . . . . .	3
2.2	From sources . . . . .	3
<b>3</b>	<b>postalcode_ni</b>	<b>5</b>
3.1	postalcode_ni package . . . . .	5
<b>4</b>	<b>Contributing</b>	<b>7</b>
4.1	Types of Contributions . . . . .	7
4.2	Get Started! . . . . .	8
4.3	Pull Request Guidelines . . . . .	9
4.4	Tips . . . . .	9
4.5	Deploying . . . . .	9
<b>5</b>	<b>History</b>	<b>11</b>
5.1	1.0.0 (2019-03-27) . . . . .	11
<b>6</b>	<b>Indices and tables</b>	<b>13</b>
	<b>Python Module Index</b>	<b>15</b>



Python package for handle Nicaragua postal codes

## 1.1 Quickstart

Install `postalcodes-ni`:

```
$ pip install postalcodes-ni
```

Then use it in your project:

```
from postalcodes_ni import (
    get_department_by_iso, get_department_by_postal,
    get_municipality_by_name, get_municipality_by_postal
)
```

This package uses data from those websites:

- [ISO 3166-2:NI](#)
- [Postal Codes](#)

## 1.2 Usage

`postalcodes_ni` exposes the following methods:

- `get_department_by_iso` for get all the municipalities in a department using the ISO code - Ex **MN** for **Managua** department.
- `get_department_by_postal` for get all the municipalities in a department using the postal code - Ex **10000** for **Managua** department.

- `get_municipality_by_name` for get an expecific municipality using his name - Ex **Atagracia** for the **Rivas** department.
- `get_municipality_by_postal` for get an expecific municipality using his postal code - Ex **48800** for the municipality of **Atagracia** from **Rivas** department.

## 1.3 Running Tests

Does the code actually work?

```
$ source env/bin/activate
(env) $ pip install -r requirements_dev.txt
(env) $ make test-all
```

## 2.1 Stable release

To install `postalcodes-ni`, run this command in your terminal:

```
$ pip install postalcodes_ni
```

This is the preferred method to install `postalcodes-ni`, as it will always install the most recent stable release.

If you don't have `pip` installed, this [Python installation guide](#) can guide you through the process.

## 2.2 From sources

The sources for `postalcodes-ni` can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/oscarcmcm/postalcodes-ni
```

Or download the [tarball](#):

```
$ curl -OL https://github.com/oscarcmcm/postalcodes-ni/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```



### 3.1 postalcodes\_ni package

#### 3.1.1 Submodules

#### 3.1.2 postalcodes\_ni.exceptions module

**exception** `postalcodees_ni.exceptions.ISOCodeError`

Bases: `Exception`

Thrown when ISO code doesnt exists

**exception** `postalcodees_ni.exceptions.PostalCodeError`

Bases: `Exception`

Thrown when postal code doesnt exists

#### 3.1.3 postalcodes\_ni.postalcodes module

`postalcodees_ni.postalcodes.get_all_municipalities_by_iso` (*iso\_code: str*) → list

Returns all the municipalities for a department based on the ISO code

`postalcodees_ni.postalcodes.get_all_municipalities_by_postal` (*postal\_code: int*) → list

Returns all the municipalities for a department based on the postal code

`postalcodees_ni.postalcodes.get_municipality_by_name` (*name: str*) → tuple

Returns a single record for a municipality based on the name

`postalcodees_ni.postalcodes.get_municipality_by_postal` (*postal\_code: int*) → dict

Returns a single record for a municipality based on the postal code

### 3.1.4 Module contents

Top-level package for postalcodes-ni.

`postalcodes_ni.get_all_municipalities_by_iso` (*iso\_code: str*) → list  
Returns all the municipalities for a department based on the ISO code

`postalcodes_ni.get_all_municipalities_by_postal` (*postal\_code: int*) → list  
Returns all the municipalities for a department based on the postal code

`postalcodes_ni.get_municipality_by_name` (*name: str*) → tuple  
Returns a single record for a municipality based on the name

`postalcodes_ni.get_municipality_by_postal` (*postal\_code: int*) → dict  
Returns a single record for a municipality based on the postal code

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

## 4.1 Types of Contributions

### 4.1.1 Report Bugs

Report bugs at <https://github.com/oscarcmcm/postalcodes-ni/issues>.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

### 4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

### 4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

## 4.1.4 Write Documentation

postalcodes-ni could always use more documentation, whether as part of the official postalcodes-ni docs, in docstrings, or even on the web in blog posts, articles, and such.

## 4.1.5 Submit Feedback

The best way to send feedback is to file an issue at <https://github.com/oscarcm/postalcodes-ni/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

## 4.2 Get Started!

Ready to contribute? Here's how to set up *postalcodes\_ni* for local development.

1. Fork the *postalcodes-ni* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/postalcodes-ni.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv postalcodes_ni
$ cd postalcodes-ni/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 postalcodes_ni tests
$ python setup.py test or py.test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

## 4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 3.4, 3.5 and 3.6, and for PyPy. Check [https://travis-ci.org/oscarcmcm/postalcodes-ni/pull\\_requests](https://travis-ci.org/oscarcmcm/postalcodes-ni/pull_requests) and make sure that the tests pass for all supported Python versions.

## 4.4 Tips

To run a subset of tests:

```
$ py.test tests.test_postalcodes_ni
```

## 4.5 Deploying

A reminder for the maintainers on how to deploy. Make sure all your changes are committed (including an entry in HISTORY.rst). Then run:

```
$ bumpversion patch # possible: major / minor / patch
$ git push
$ git push --tags
```

Travis will then deploy to PyPI if tests pass.



## 5.1 1.0.0 (2019-03-27)

- First release on PyPI.



## CHAPTER 6

---

### Indices and tables

---

- `genindex`
- `modindex`
- `search`



**p**

postalcodes\_ni, 6  
postalcodes\_ni.exceptions, 5  
postalcodes\_ni.postalcodes, 5



## G

`get_all_municipalities_by_iso()` (in module `postal-codes_ni`), 6  
`get_all_municipalities_by_iso()` (in module `postal-codes_ni.postalcodes`), 5  
`get_all_municipalities_by_postal()` (in module `postal-codes_ni`), 6  
`get_all_municipalities_by_postal()` (in module `postal-codes_ni.postalcodes`), 5  
`get_municipality_by_name()` (in module `postalcodes_ni`), 6  
`get_municipality_by_name()` (in module `postal-codes_ni.postalcodes`), 5  
`get_municipality_by_postal()` (in module `postal-codes_ni`), 6  
`get_municipality_by_postal()` (in module `postal-codes_ni.postalcodes`), 5

## I

`ISOCODEError`, 5

## P

`PostalCodeError`, 5  
`postalcodes_ni` (module), 6  
`postalcodes_ni.exceptions` (module), 5  
`postalcodes_ni.postalcodes` (module), 5